
Quick Erect Scaffold



Quick Erect Scaffold(QES) is popular and widely used system in American . It is designed for safety and speed requirement .

Features:

Two principal components – posts and horizontals

Versatile design – rings have eight openings

Secure / stable – horizontals bear against post; wedge connector draws the horizontal against the post to firmly lock the scaffold members together, while creating a moment connection between the horizontal and the post

Easy to erect – no loose parts – captive wedges are integral to the ends of each horizontal member

Erects to meet almost any configuration.

Reliable – all major components are galvanized

Quick Erect Scaffold



Item #	Description	Unit Weight	Surface
QP3	3' 3" POST	5.81	HDG
QP6	6' 6" POST	10.47	HDG
QP9	9' 9" POST	15.6	HDG

Item #	Description	Unit Weight	Surface
QH2	2' HORIZONTAL	2.4	HDG
QH3	3' HORIZONTAL	3.5	HDG
QH4	4' HORIZONTAL	4.6	HDG
QH5	5' HORIZONTAL	5.69	HDG
QH6	6' HORIZONTAL	6.8	HDG
QH7	7' HORIZONTAL	7.72	HDG
QH8	8' HORIZONTAL	8.74	HDG
QH10	10' HORIZONTAL	11.06	HDG



Item #	Description	Unit Weight	Surface
QD3	3' DIAGONAL BRACE	7.77	HDG
QD4	4' DIAGONAL BRACE	8.20	HDG
QD5	5' DIAGONAL BRACE	8.53	HDG
QD6	6' DIAGONAL BRACE	9.00	HDG
QD7	7' DIAGONAL BRACE	9.75	HDG
QD8	8' DIAGONAL BRACE	10.35	HDG
QD10	10' DIAGONAL BRACE	11.97	HDG

Item #	Description	Unit Weight	Surface
QL20	20" ADJUSTABLE BASE	5.35	EP
QL21	20" SWIVEL BASE	6.6	EP
QLC	BASE COLLAR	2.85	HDG
QB2	2-PLANK BRACKET	7.69	HDG
QB3	3-PLANK BRACKET	12.53	HDG

Quick Erect Scaffold

